International Research Journal of Ayurveda & Yoga

An International Peer Reviewed Journal for Ayurveda & Yoga





A Conceptual Study To Evaluate The Effect Of Virechana Karma, Raktamokshan, And Shaman Aushadha In The Management Of Ekakushtha w.s.r To Psoriasis

Dr.Himanshu Sharma¹, Prof.Pushpinder Singh², Dr.Rajesh Kumar Sood³

ICV-70.44- ISRA-1.318 VOLUME 4 ISSUE 5

- 1. PG scholar, PG department of Panchkarma, R.G.G.P.G.Ayurvedic College Paprola Distt. Kangra H.P India.
- 2. Professor &HOD PG Dept. of Panchkarma, R.G.G.P.G.Ayurvedic College Paprola, Distt. Kangra H.P India.
- 3. HOD PG Dept. of Samhita & Siddhanta, I/C of Skin Care Unit & Derma Research lab R.G.G.P.G.Ayurvedic College Paprola, Distt. Kangra H.P India.

Corresponding Author:- Dr.Himanshu Sharma PG scholar, PG department of Panchkarma, R.G.G.P.G.Ayurvedic College Paprola Distt. Kangra H.P India.

Article revised on 12 April 2021

Article Accepted 20 May 2021

Article published 31 May2021

ABSTRACT: -

Introduction-In Ayurveda all the skin diseases has been discussed under the broad term "*Kushtha*". It can be classified into *Mahakushtha* (major skin diseases) *and Kshudrakushtha* (minor skin diseases). *Ekakushtha* is one among the *Kshudra Kushtha* presenting clinical features – *Aswedanam* (loss of sweating), *Mahavastu* (larger area of involvement), *Matsya Shaklopamam* (scaling)¹. *Ekakushtha* can be correlated with psoriasis on the basis of similarity in etiopathogenesis & symptomatology. Psoriasis is a chronic autoimmune, frequently recurring disease that vary in severity from the merely annoying to life threatening. Although no treatment can completely cure this disease. Acharya has highlighted the role of *Panchkarma* therapy by stating that the disease treated by *Shodhan* (Purification treatment) will never recur whereas the treatment with shaman therapy may recur in due course of time. This research work was conducted with the aim to establish an effective therapy under *Panchkarma Chikitsa* for the management of disease.

Method: In this trial 10 patients of *Ekakushtha* (Psoriasis) were selected from the O.P.D of *Panchkarma* Dept. RGGPGAC Ayurvedic college & hospital, Paprola, Distt-Kangra H.P. *Virechana, Raktmokshana* followed by *Shaman Aushadha* were chosen for the study.

Results: The therapy used in this clinical study were found significantly effective in all symptoms of the disease, which were taken for the study.

Discussion: *Ekakushtha* (Psoriasis) is a *Kshudrakustha* (minor skin diseases), which have *Vata Kapha Dosha* dominancy. Single *dosha* cannot cause *Kushtha* (skin diseases)., we can say it is a *Tridoshaja Vyadhi*. *Acharya* indicates *Shodhana Chikitsa* (Purification) in *Bahu Doshaja* state of *Kustha*². As per our observation, *Virechana* (Purgation) *and Raktmokshana* (bloodletting) followed by *Shaman Aushadha* (Pacification treatment) are best line of treatment in *Ekakushtha* (Psoriasis).

Key words: Ekakushtha, Psoriasis, Panchkarma, Virechana, Raktmokshan, Samshodhana.



This work is licensed under a creative attribution -Non-commercial-No derivatives 4.0 International License commons

How to cite this article: Dr.Himanshu Sharma, Prof. Pushpinder Singh, Dr.Rajesh Kumar Sood "A Conceptual Study To Evaluate The Effect Of *Virechana Karma, Raktamokshan,* And *Shaman Aushadha* In The Management Of *Ekakushtha* W.S.R To Psoriasis"IRJAY, May: 2021, Vol-4, Issue-5;36-44 ; DOI: https://doi.org/10.47223/IRJAY.2021.4501

INTRODUCTION:

In present scenario, continuous changing life styles, environment and dietary habits have made man as main victim of many diseases including skin diseases.

All the skin diseases in *Ayurveda* have been discussed under the broad heading "*Kushtha*", which are further divided in to *Mahakushtha* (major skin diseases) *and Kshudrakushtha* (minor skin diseases).

All Acharyas have described that all Kushtha (skin diseases) have Tridoshika involvement. Ekakushtha (Psoriasis) is one among the Kshudrakushtha (minor skin diseases).which has dominance of Kapha & Vata Dosha in particular and *Rakta* (blood) in general which is main cause for its pathogenesis. Ekakustha (Psoriasis) can be correlated with psoriasis on the basis of similarity in etiopathogenesis & symptomatology. Symptoms as per Ayurvedic aspect of *Ekakushtha* are *Aswedanam*, Mahavastum, Matasyashklopamam, Karishana Aruna Varana can be correlated to anhidrosis, extent of lesion, scaling, erythema of psoriasis respectively. Psoriasis is a chronic autoimmune condition, characterized by an exaggerated proliferation of keratinocytes secondary to an activated immune system.

The autoimmune diseases are mysterious set of conditions that vary in severity and has negative impact on quality of life, requires long term treatment, which usually has a high social and economic impact and is also associated with a decreased life span. The unique treatment modality of *Ayurveda* provides long lasting results and a better life to patients through its three basic principles of treatment i.e. – *Shodhana* (Purification), *Shamana*

(Pacification) and *Nidana Parivarjana* (Avoidance of causative factor)³.

All Acharyas mentioned that Kushtha (Skin diseases) is Raktaj vayadhi. In Kushta Rakta Dhatu (Blood) which is responsible for Prasara (Stage of Spreading) stage of Kushta Samprapti (Pathogenesis) Pitta Dosha and Rakta Dhatu have Ashraya-Ashrayi Relationship (Between Tissues And *Doshas*) relationship hence treatment modality Rakta of Pitta Dosha and Dhatu complimenting to each other.

Therefore for the eliminations of vitiated *Pitta Dosha Virechana* (purgation) and *Raktmokshana* (bloodletting) ⁴followed with *Shamana Aushadha* (pacification) can play significant role in management of *Ekakushtha* (psoriasis).

AIMS AND OBJECTIVES

- 1. To assess the efficacy of Virechan Karma (purgation) in Ekakushtha.
- 2. To assess the efficacy of Rakatmokshan (bloodletting) in Ekakushtha.
- 3. To develop effective *Ayurvedic* treatment for *Ekakushtha*.

MATERIAL AND METHODS

Patients with classical signs & symptoms of the *Ekakushtha*, according to *Ayurvedic* classics as well as modern science were selected from the O.P.D. & I.P.D. of R.G.G.P.G.Ayu.College & Hospital, Paprola (Kangra) H.P. 10 patients who fulfilled the inclusion criteria of diagnosis were selected . All patients completed the trial. Duration of study – 30 days

IEC Number: Ayu/IEC/2017/1161

SELECTION OF PATIENTS: Inclusion Criteria

- 1. Patient willing for clinical study.
- 2. Age group 20 70 years irrespective of sex, education, religion, socioeconomic status etc.
- 3. Patient showing signs and symptoms of *Ekakushtha* and "Psoriasis".

Exclusion Criteria

- 1. Patients not willing for the study.
- 2. Patients below 20 and above 70 years.
- Patients suffering from peptic ulcers, cardiac disease and any infectious diseases were not included in the study.
- 4. Malignancy.
- 5. Patients already taking chemotherapy, radiotherapy.
- 6. Pregnant and lactating women.
- 7. Allergy to the research drugs.

PLAN OF STUDY: Study was carried out in single group of 10 patients with treatment schedule as follow –

Table 1- Grading for Assessment Aswedanam (Anhidrosis)

- Snehpana (Abhyantra Snehana) Darvi Ghrita^{5–} Dose starting from 30–50ml as per Koshta and Agni of the patient in increasing dose till the appearance of Samayak Snehana Lakshana.
- 2. Sarvang Abhayanga

Sarshpa tail-As per requirement of the Sarvang Abhyanga for three days (Ch.Chi 7/119)

Swedana - Nadi Swedana (Mridu)

- **3.** Virechan Karma Virechana yoga⁶. –Trivrit – 5–10 gm Triphala – 50–100ml
 - Followed by *Samsarjana Krama* as mentioned in *Shodhana* process.
- **4.** Raktmokshan –Siravedha

Snehpana–Darvi Ghrita for 3 days. On the 9th day of *Virechana Karma*.

Siravedha – Siravedha done after Snehan, Swedan and Yavagu Pana.

Followed by local application of *Karveer Mool* Lepa ⁷ on affected areas and *Argvadh Patra Kwatha* ⁸20 ml BD for 10 days.

Symptom	N.S.	B.T.	A.T.
Normal Sweating	0		
Mild Sweating	1		
Mild Sweating after exercise	2		
No Sweating after exercise	3		
No Sweating	4		

Mahavastum (Extent of lesion)

Symptom	N.S.	B.T.	A.T.
No Lesions on body	0		
Lesions on elbow, knee, lumbosacral, scalp	1		
Lesions on forearm, leg, neck, scalp, trunk, back	2		
Lesions on most parts of body	3		
Lesions on whole body	4		

Matsyashaklopamam (Scaling)

Symptom	N.S.	B.T.	A.T.
No Scaling	0		
Mild scaling by rubbing or itching from lesion	1		
Moderate scaling by rubbing or itching from lesion	2		
Severe scaling by rubbing or itching from lesion	3		
Severe scaling without itching	4		

Krishna Aruna Varna (Erythema)

Symptom	N.S.	B.T.	A.T.
Normal color	0		
Faint or near to normal	1		
Light reddish color	2		
Moderate red color	3		
Bright red color	4		

Kandu (Itching)

Symptom	N.S.	B.T.	A.T.
No Itching	0		
Mild/Occasional Itching	1		
Moderate(tolerable)Infrequent	2		
Severe Itching Frequently	3		
Very severe Itching Disturbing	4		

Candle Grease sign:

Sign		N.S.	B.T.	A.T.
Absent		0		
Present		1		

Auspitz's sign

Sign	 N.S.	B.T.	A.T.
Absent	0		
Present	1		

Koebner phenomena

Sign	N.S.	B.T.	A.T.
Absent	0		
Present	1		

Psoriasis Area and Severity Index (PASI)

It combines the assessment of the severity of lesions and the area affected in to a single score. **Calculation**

Area of Involvement– The body is divided in to four sections –Head (10% of a person's skin), arms (20%), trunk (30%) and legs (40%). Each

of these areas is scored and then four scores are combined in to final PASI score.

Within each area the severity is estimated by three clinical signs: Erythema, inducation and desquamation.

OBSERVATION & RESULTS:

Table 2- Cardinal symptoms wise distribution of *Ekakushtha* of 10 patients :

Cardinal symptoms	No. of Patients	%age
Kandu	10	100
Mahavastum	10	100
Matsyashakalopamam	10	100
Krishna Aruna Varna	08	80
Asvedanama	09	90

Table 3-Signs of Psoriasis Wise Distribution:

Signs of Psoriasis	No. of Patients	%age
Candle Grease sign	9	90
Auspitz's sign	9	90
Koebner's phenomenon	8	80

Table 4-Effect of therapy on Subjective Criteria:

Parameters	Ν	M	ean	D	%age	SD ±	SE ±	Т	Р
		BT	AT		Relief				
Kandu	10	3.8	0.9	2.9	76.3	0.87	0.27	10.4	< 0.001
Mahavastum	10	3.4	1.4	2.0	58.82	1.52	0.48	4.35	< 0.05
Matsyashak–lopama <mark>m</mark>	10	3.0	0.5	2.5	83.3	0.85	0.26	9.30	< 0.001
Krishna Aruna Varn <mark>a</mark> 😑	08	2.3	0.5	1.8	78.26	0.88	0.31	7.18	< 0.001
Aswedanam	09	3.6	0.9	2.7	75	1.02	0.33	9.00	< 0.001

Table 5-Effect of therapy on Objective Criteria:

Parameters	Ν	N	Mean		%age	SD ±	SE±	Т	Р
		BT	AT		Relief		P		
Candle Grease Sign	09	0.9	0.1	0.8	88.8	0.3	0.11	8.00	< 0.001
Auspitz's Sign	09	0.9	0.1	0.8	88.8	0.33	0.11	8.00	< 0.001
Koebner's Phenomenon	08	0.8	0.1	0.7	87.5	0.35	0.12	7.00	< 0.001
PASI Score	10	13	4.32	8.68	66.76	6.909	2.185	4.412	< 0.001

Effect of Therapy on Clinical Features

- Kandu: The mean score of 3.8 came down to 0.9 after treatment. The reduction being 2.9, showing 76.3% relief which is highly significant with p value (p<0.001).</p>
- ✤ Mahavastum: The mean score of 3.4 came down to 1.4 after treatment. The reduction being 2.0 showing 58.82% relief which is significant with p value (p<0.05).</p>
- ✤ Matsyashaklopamam: The mean score of 3.0 came down to 0.5 after treatment. The

reduction being 2.5 showing 83.3% relief which is highly significant with p value (p<0.001).

- Krishna Aruna Varna: The mean score of 2.3 came down to 0.5 after treatment. The reduction being 1.8 showing 78.26% relief which is highly significant with p value (p<0.001)</p>
- Aswedanam: The mean score of 3.6 came down to 0.9 after treatment. The reduction being 2.7 showing 75% relief which is highly significant

with p value (p < 0.001)

- Candle Grease Sign: The mean score of 0.9 came down to 0.1 after treatment. The reduction being 0.8 showing 88.8% relief which is highly significant with p value (p<0.001)</p>
- Au spitz's Sign: The mean score of 0.9 came down to 0.1 after treatment. The reduction being 0.8 showing 88.8% relief which is highly significant with p value (p<0.001)</p>
- ✤ Koebnar's Phenomenon: The mean score of 0.8 came down to 0.1 after treatment. The reduction being 0.7 showing 87.5% relief which is highly significant with p value (p<0.001)</p>

PASI Score– The mean score of 13 came down to 4.32 after treatment. The reduction being 8.68 showing 66.76% relief which is highly significant with p value (p<0.001)

Figure no 1& 2: Showing results before and after treatment





Figure 1.A



Figure1.B



Figure 1.C



Figure 2. B



Figure 2.C

DISCUSSION:

Probable Mode Of Action

Snehpana (internal oleation): Snehpana and Swedana (Sudation) has efficacy to remove Srotobandhana (blockage of channels) and liquify the morbid Dosha. In present study Darvi Ghrita was given for Abhyantra Snehana. Darvighrita reaches up to the cell due to its Ushna (hot), Laghu (light) and Sukshma Guna (sharp). And subsides the symptom like itching and scaling due to its Kanduhara (Antipruritic), Vranshodhan (wound cleaner) properties.

Berberine present in *Daruharidra* plays important role in the treatment of skin diseases due to its anti-inflammatory & wound healing properties. It also has immunomodulatory and antioxidative effects.

Virechana (Purgation) :

Virechana yoga because of its Vyavayi Guna gets absorbed quickly by cell and tissue and due to its Virya (potency), it reaches to Hridya (heart), Dhammani (arteries) and all of the macro and micro channels of the body. Its Vikasi Guna (spreads all over the body) causes softening and loosening of the bond by Dhatu Shaithilya Karma. Ushna guna (hot) causes liquefications of Dosha Sanghata. It breaks the Mala (waste product) and Doshas in micro form due to its Tikshana Guna (sharp). Due to Sukshma Guna by reaching in micro channels, disintegrates endogenic toxins, which are then excreted through micro channels Virechana (purgation) occurs mainly due to Prabhava, Prithvi (earth) and Jala (water) constitution and presence of Sara Guna.

Regulation of Virechana process:

The process of *Virechana* (purgation) is regulated & controlled by a special center situated near Medulla oblongata in the brain. When *Virechana* (purgation) drugs stimulate purgation center, indirectly vomiting center is relaxed. Sacral plexus of the spinal cord also helps in controlling & regulating the act of purgation.

Virechana (purgation) is a Vyadhi pratyanika Chikitsa (disease specific treatment) Pitta is Mala of Rakta (blood). Virechana (purgation) expels Pitta, hence decreases Mala of rakta (Pitta) so ultimately it decreases the symptom of Kushtha (skin diseases). As we know that Ekakushtha is Vata kapha dominant disease with vitiation of Rakta Dosha (blood) & psychosomatic nature of the disease.

Among the *Panchkarma* therapy by *Virechana* (purgation), *Pitta Dosha* clears not only from the *Amashaya* (stomach) but from all over the body i.e., from cellular level. Apart from *Pitta* it is also useful in disorders in which *Pitta* is associated with *Vata* or *Kapha*.⁹

Due to Vata Kaphaghna properties it reduces symptoms of Ekakushtha. Due to the Manaprasadana property it also reduces stress & stress related symptoms.

Raktmokshana (Bloodletting):

- 1. *Raktmokshan* (Bloodletting) comes under the *Panchshudhi* according to the *Sushruta* which means to purify the body from inside.
- 2. According to Acharya Charaka and Sushruta, Shodhana is necessary for disease due to (Multiple Bahudosha Avastha dosha). Ayurveda consider Rakta Dusti (blood) as one of the mainly due to Pitta Doshas. Siravedha (Bloodletting) removes vitiated Rakta thus **Symptoms** like Rukshta(dryness), Kandu(itching), Daha (burning sensation) and the extent of lesion will reduce after Siravedha karma (Bloodletting) due to Prabhut Dosha Niraharn by Siravedha and Rakta Shudhi.
- 3. *Siravedha* (Bloodletting) is effective to remove toxic materials so they can easily evacuate from body. Besides eliminating *Pitta* and *Kapha Doshas*, the main seat of *Vata* is also purified

thereby making *Siravedha Karma* (Bloodletting) a *Tridoshahara* procedure.

- Siravedha karma (Bloodletting) not only cleanses the body from inside but also does the *Prasadan* of the *Mana* (heart), *Indriya* (senses), *Satva, Atma* (soul) which are the tripod of life. It improves the quality life, life style, efficacy of life.
- 5. Psoriasis activated T cells migrates from lymph nodes and the blood stream into skin and release cytokines (INFy, IL-2) which induce pathological changes. Bloodletting therapy leads to reduction in IL-2,1. Hence it is effective in adjusting disorders of immune function like psoriasis.
- 6. As histamine are responsible for allergy, the symptoms like itching, patches diminish by bloodletting. Due to liberation of histamine through bloodletting.
- 7. HSP -70 (heat shock protein) has been proven to promote the survival rate of cells. Blood therapy leads to remarkable increase of local HSP70.

Lepa:

- With topical application, the active principle of the *Karveer Lepa* reaches to the deeper tissues through *Siramukha* (opening of the vessels) & *Swedavahi Srotas*(channels carrying sweat)¹⁰.
- 2. Due to its Ushna(hot), Tikshna(sharp), & Sukshma properties it deblocks the obstruction in Swedavahisrotas & allows the local toxins to flow out through the Sweda (Sweat), thus clearing out the micro channels.
- Tikta Rasa (Astringent) has properties like Lekhana(emaciation), Deepana (appetizer), Pachana (digestive) by which it can remove obstruction (Sanga) of Kapha¹¹.

In most of the patients *Kandu* (itching) was relieved significantly, this may be due to the *Kandughna* (anti-pruritic) property of *Karveer mool*.

Kashyapana:

Argvadha Patra Kashya is effective for reliving signs and symptoms of *Ekakushtha* and have *Kushthghana, Kandughna* (anti-pruritic), and *Kapha Pitta Shamak* properties.

CONCLUSION:

Ekakushtha (Psoriasis) can be successfully managed by repetitive Shodhana therapy (Purification) followed by specific Shamana Yoga (Antaha and Bahya). Symptoms like Kandu (Itching) and Matsyashaklopamam starts receding /relieved with Snehapana (Oleation). Virechana karma (Purgation) acts on all *Doshas* and is effective in treating Psoriasis. Virechana yoga (Purgation yogas) mentioned in *Kushtha Chikitsa* (skin diseases) in Charaka Samhita was proved as an effective drug for Virechana Karma & has Kaphapittahara and Kushthahara action. *Rakta dushti* (vitiation of blood) is one of the prime causes of skin diseases. After letting out the vitiated Rakta (blood) it provides better relief in the symptoms.

In the present study maximum no. of patients 50% were moderately improved followed by40% patients who showed marked improvement, followed by 10% patients with mild improvement.

On the basis of above findings, it can be concluded the *Virechana Karma* (purgation) *Raktmokshana* (bloodletting) followed by *Shaman Aushadh* (Pacification) is effective for the treatment of *Ekakushtha* (Psoriasis).

Acknowledgment: Nil. Financial Support: Nil. Conflict of Interest: Nil

REFERENCES:

- Pt. Kashinath Shashtri and Dr. Gorakhnath Chaturvedi, Charak Samhita, Volume -2, Chikitsa Sathan chapter 7 versus 21, Published by Chaukhambha Sanskrit sansthan, Reprint 2014, pp-252
- Pt. Kashinath Shashtri and Dr. Gorakhnath Chaturvedi, Charak Samhita, volume -2, Chikitsa Sathan Chapter 7 versus 31, Published by Chaukhambha Sanskrit sansthan, Reprint 2014, pp-253
- Pt. Kashinath Shashtri and Dr. Gorakhnath Chaturvedi, Charak Samhita, volume -1, Vimana Sathan chapter 7 versus 30, Published by Chaukhambha Sanskrit sansthan, reprint 2014, pp-734
- 4. Pt. Kashinath Shashtri and Dr. Gorakhnath Chaturvedi, Charak Samhita, volume -2, Chikitsa Sathan Chapter 7 versus 39, Published by Chaukhambha Sanskrit sansthan, Reprint 2014, pp-255
- Pt. Kashinath Shashtri and Dr. Gorakhnath Chaturvedi, Charak Samhita, volume -2, Chikitsa Sathan Chapter 7 versus 119, Published by Chaukhambha Sanskrit sansthan, Reprint 2014, pp-267
- 6. Pt. Kashinath Shashtri and Dr. Gorakhnath Chaturvedi, Charak Samhita, volume -2,

Chikitsa Sathan Chapter 7 versus 44, Published by Chaukhambha Sanskrit sansthan, Reprint 2014, pp-256

- Pt. Kashinath Shashtri and Dr. Gorakhnath Chaturvedi, Charak Samhita, volume -2, Chikitsa Sathan Chapter 7 versus 94, Published by Chaukhambha Sanskrit sansthan, Reprint 2014, pp-264
- Kumar, D. R., Sharma, D. A., Kumari, D. S., & Gupta, D. A. (2021). Applied Aspect Of Shodhan Chikitsa In Psoriasis (Ekakustha): *International Research Journal of Ayurveda & Yoga*, 4(3), 81-88.
- Pt. Kashinath Shashtri and Dr. Gorakhnath Chaturvedi, Charak Samhita, volume -2, Chikitsa Sathan Chapter 7 versus 97-99, Published by Chaukhambha Sanskrit sansthan, Reprint 2014, pp-264
- 10. Dr. Anna Moreshwar Kunte and Pt. Krishna Ramchandra Shashtri Navre, Ashtang Haridya, Sarvanga Sundara and Ayurveda Rasayana commentaries, Sutra Sathan, Chapter 1 versus
 25, Published by Chaukhamba Subharati Prakashan, Reprint 2013, pp- 25
- 11. Kaviraj Ambikadutta Shastri, Sushruta Samhita, volume-1, Sharir Sathan, chapter 9 versus 9, Published by Chaukhambha Sanskrit Sansthan, Varanasi, Reprint 2014, pp- 94

