



International Research Journal of Ayurveda & Yoga

An International Peer Reviewed Journal for Ayurveda & Yoga



SJIF Impact Factor : 5.69

ISRA Impact Factor : 1.318

ISSN:2581-785X

Review Article

Volume: 3

Issue: 11

Jeevaniya Mahakashay And Its Immunomodulator Effect: A Review Article

Dr. Dhanraj Nagar¹, Dr. Manoj Kumar Sharma²

1.-Associate Professor , Department of Samhita Siddhant , Kalawati Ayurvedic Medical College & Hospital ,Gorha, Kasganj(UP), India

2.-Professor, Department of Dravyaguna, Kalawati Ayurvedic Medical College &Hospital ,Gorha, Kasganj(UP), India

ABSTRACT: India has the third largest HIV in the year 2016 and 2nd largest in SARS COVID 19 in the year 2020 of epidemic in the world. In HIV prevalence in India was an estimated 0.3%. This equates to 2.1 million people living with and COVID 19 cases prevalence are .586% which is equates to 8.0 million people living with SARS COVID19 infection . HIV as well as COVID 19 infections affects multisystem, chiefly the Immune System which can be corrected to *OjaKhasya Rasayana* Chikitsa is the frontline therapy employed to treat Ojas disorder. For the process of rejuvenation, Ayurveda has described a unique therapy-*Rasayana* therapy. Drugs described under *Rasayana* act on *Agni, Dhatu* and *Srotas* level and help in formation of *prashasta dhatus* maintaining a perfect equilibrium of all the doshas and dhatus. *Jeevaniyagana* is mentioned in *Charak Samhita sutrasthana* chapter fourth *Shad virechanashatashritiyaadhyay. Charakokta Jeevaniya Mahakashay- Jeevak, Rishabhaka, Meda, Mahameda, Kakoli, Ksheerakakoli, Mudgaparni, Mashaparni, Jeevanti, Madhuk.* Detail usage of the individual drugs of *Jeevaniyagana* has been mentioned in the article and its role as *immunomodulator* has been discussed. *Jeevaniyagana* now a days used as-*Shatavari, Vidari, Ashwagandha, Mudgaparni, Mashaparni, Jeevanti, and Madhuk.*

Keywords - *Shatavari, Vidarikanda, Ashwagandha, Mudgaparni, Mashaparni, Jeevanti, Yashtimadhu, HIV, Immunomodulator.*

Article received on-29 Oct

Article send to reviewer on-2 Nov.

Article send back to author on-16 Nov.

Article again received after correction on -27 Nov.

Corresponding Author : Dr. Manoj Kumar Sharma, Associate Professor , M.D.(Ayu), Department of Samhita Siddhant , Kalawati Ayurvedic Medical College & Hospital ,Gorha, Kasganj(UP) Email-drmanoj78@gmail.com

How to Cite the Article : Dr. Dhanraj Nagar, Dr. Manoj Kumar Sharma , *Jeevaniya Mahakashay* And Its Immuno modulator Effect: A Review Article., IRJAY, November: 2020 Vol- 3, Issue-11; 75-90.

Doi: <https://doi.org/10.47223/IRJAY.2020.3115>

INTRODUCTION

Jeevaniyamahakashay mentioned in *Charak Samhita sutrasthana* chapter fourth *Shad virechana shatashritiya adhyay*. *Charakokta Jeevaniya Mahakashay-Jeevak, Rishabhaka, Meda, Mahameda, Kakoli, Ksheerakakoli¹, Mudgaparni, Mashaparni, Jeevanti,*

Madhuk. Of the above mentioned dravyas, the first six,i.e. *Jeevak, Rishabhaka, Meda, Mahameda, Kakoli,* and *Ksheera kakoli* are extinct. According to *Acharya Bhavamishra*, author of *Bhavaprakash Nighantu*, the use of following *dravyas* can be used instead of the extinct ones-

Following *dravyas* to be used in place of extinct ones-Table number-1

Dravya	Substituted with
<i>Medaand Mahameda</i>	<i>Shatavari</i>
<i>JeevakandRsabhaka</i>	<i>Vidari</i>
<i>KakoliandKsheerakakoli</i>	<i>Ashwagandha</i>

Jeevaniya gana is- *Shatavari, Vidari, Ashwagandha, Mudgaparni, Mashaparni, Jeevanti, Madhuk*

According to our classical texts *Jeevaniyagana* bestows long life.

Selection criteria of topic

There is no vaccination availability for HIV-AIDS, COVID-19 which has prompted for research of various herbal drugs which are potent to a certain extent in patients having HIV and SARS COVID 19. Hence only option is use of Anti Retroviral therapy (ART). There is a high prevalence of the disease and an even higher mortality. The cost of medicine or therapy is expensive. Compromised immunity and reduced quality of life has prompted for further research in this field in order to improve the immunity of the HIV and COVID 19 infected population. This particular disease can be easily transmitted thereby increasing the HIV and COVID 19 infected population. Mass awareness needs to be created.

Some of the common side effects seen after starting of ART are-Loss of appetite, Lipodystrophy, Fatigue, higher than normal levels of cholesterol and triglycerides, mood changes, depression, anxiety, nausea, vomiting, rash, difficulty in sleeping,

hypersensitivity or allergic reactions, with symptoms such as fever, nausea, and vomiting, bleeding, bone loss, heart disease, high blood sugar and diabetes, lactic acidosis (high lactic acid levels in the blood), kidney, liver, or pancreas damage, numbness, burning, or pain in the hands or feet due to nerve problems. Hence it is the need of time to find minimize these side effects caused due to ART and to find better, more effective options of herbal medicines in the management of HIV and COVID 19.

AIMS AND OBJECTIVES

AIMS-

To do a literary study of the individual contents of *JeevaniyaMahakashay* and its role as immunomodulator.

OBJECTIVES-

- 1) To do a literary review of the karma of individual contents of *JeevaniyaMahakashay*.
- 2) To do a literary review of the pharmacological activity of individual contents of *JeevaniyaMahakashay* especially immunomodulatory activity.

MATERIAL AND METHODS

1) Review work done and all literary references related to *Jeevaniya gana dravyas* has been collected from *Ayurveda* classical texts, pharmacological activity of *Jeevaniya gana dravyas* has been collected from recent modern studies done on the subject and research papers for the same have been collected through the source of internet.

Jivaniya Gana Dravyas

1) *Shatavari*-

Shatavari is generally used as a general tonic and a tonic for female reproductive system. *Asparagus racemosus* (Fam.-Asparagaceae) is commonly known as *Shatavari*. It is highly effective and potent. It has *Madhur Rasa*, *Madhur Vipaka*, and *Sheeta Veerya*. It is used in the management of *soma roga*, chronic fever and internal heat^{2,3}. This herb is beneficial in diseases of female reproductive system. *Acharya Charak* and *Acharya Vagbhat* have enlisted *Shatavari* as part of the many formulae in management female health disorders^{4,5,6,7}. *Shatavari* is a commonly used effective *Ayurvedic rasayan* which helps in preventing ageing, improves longevity, impart and develop immunity, helps the

improve mental functions, restores vigor and adds vitality to the body and is also used in nervous disorders, dyspepsia, tumors, hepatopathy, neuropathy inflammation. Studies have proved the pharmacological activities of *Asparagus racemosus* extracts of root like antioxidant, antiulcer, anti-diabetic, anti-diarrhoeal, and immunomodulatory activities. A study based on classical *Ayurveda* literature claimed multiple therapeutic attributes to the roots of *A. racemosus* and has been specially used as a galactogogue and cases of threatened abortion. Roots of *A. racemosus* are having a bitter-sweet taste, cooling, emollient, nervine tonic, and aphrodisiac, galactogogue, diuretic, antiseptic, carminative and as tonic. Efficacy of the root of *A. racemosus* can be seen in nervous disorders, bronchitis, hyperacidity, dyspepsia, diarrhoea, dysentery, cough, neuropathy, hepatopathy tumors, inflammations, hyper dyspsia, and certain infectious diseases^{8,9}. The major active constituents present in of *Asparagus racemosus* are steroidal saponins that are found to be present in the roots. *Shatavarin IV* has shown to significant activity as an inhibitor of core Golgi enzymes transferase in cell free assays and recently has exhibited immuno-modulation activity against

specific T-dependent antigens in immunocompromised animals¹⁰ Immunomodulatory activity-. Immunomodulating property of *A. racemosus* has been shown to protect the rat and mice against experimental induced abdominal sepsis in cases where intra-abdominal sepsis is major causes of mortality following trauma and bowel surgery. In a study where the survival rate was compared to the group treated with a combination of gentamicin and metronidazole the percentage rate of mortality in animals treated with *A. Racemosus* was found to be significantly reduced. Oral administration of decoction of powdered root of *A. racemosus* has been reported to produce enhanced phagocytic activity of the macrophages and polymorphs alongwith leucocytosis and predominant neutrophilia. *A. racemosus* has shown to be devoid of antibacterial action and hence protection is provided by *A. racemosus* against sepsis indicating its possible immunomodulatory property by altering function of macrophages^{11,12}

2) *Vidari-*

Vidarikanda pacifies vata, pitta and raktadosha and is having *Brihaniya*, *Jeevaniya*, *Vrushya*, *Stanya*, *Shukral*, *Balya*, *Rasayan Dahahar*, *Mutral*, *Kanthy*, *Varnya* properties. *Vidarikanda* is highly

beneficial in *Rajyakshma*, *Jwara*, *Kshtaksheena*, *Kasa*, *Raktapitta*, *Vatarakta* and *Vatavyadhi*.

The *Vidarikanda* tubers are sweet, cooling potency, aphrodisiac, galactagogue, diuretic, cardio tonic, expectorant, emetic and hence useful in various ailments¹³. Tubers have rich content of isoflavanoids. Its *Bruhan* effect is seen prominently in *Karshyavyadhi*¹⁴. In STZ-induced diabetes in rats it showed to have an effective anti-diabetic potential.¹⁵ Immunomodulatory activity-It holds an enterprising importance as a therapeutic potential due to the immunomodulator activity the effects mostly being due to the rich content of isoflavanoids.¹⁶ The major isoflavanoids present in *Vidarikanda* is Puerarin and it has proven as an antioxidant activity.¹⁷ Puerarin possesses cardio protective activity and gives protection against stress induced myocardial ischemia¹⁸. *P. tuberosa* may be added to the list of thrombolytic agents of plant origin due to its fibrinolytic activity in patients of coronary artery disease. It has negligible side effects and is cost effective. It has shown and proved its aphrodisiac effect which is mentioned in *Ayurveda* classical texts.¹⁹. *P. tuberosa* increases the hormonal levels of testosterone, LH, FSH, and gonadotropin

release hormone GnRH. The role of phytoestrogenic compounds from *P.tuberosa* in the improvement of sexual function and testosterone production in male rats can be attributed to the role of phytoestrogenic compound of *P.tuberosa*. Hence it is evident that it helps in improvement of sexual performance and fertility because of its ethnopharmacological utilization.²⁰

Nootropic effect i.e. memory enhancer, cognitive enhancer, neuro enhancer and intelligence enhancer effect has been proven with study²¹. Studies have shown that there is an improvement in activity of red blood cell anti-oxidant enzymes and hence is an useful anti-inflammatory agent²²

3) *Ashwagandha*-

The roots of the *Ashwagandha* plant are having *rasayana* property by augmenting the defense against disease, helps in arresting the process of ageing, revitalization of the body in debilitated conditions, increasing the individual's capacity to resist the adverse environmental factors and thereby creating a sense of mental wellbeing in the individual²³. It can be used for a very long time in all age groups and in both sexes, even during pregnancy, without having any side effects²⁴The pharmacological activity of the roots

was attributed to the presence a group of steroidal lactones known as withanolides.²⁵ Its leaves are beneficial in *Ayurveda* for treatment and management of tumors and tubercular glands²⁶.

W. somnifera exhibits antibacterial, anti-fungal, antitumor and anti viral properties wherein a number of withanolide steroidal lactones from the leaves have been isolated^{27, 28}*Ashwagandha* is beneficial to help calm the mind, relieve body weakness and nervous exhaustion, build high sexual energy and promote a healthy sleep according to *Ayurveda* i.e. It acts as a booster for vitality and longevity. It is also an adaptogen. Immunomodulatory activity - *Ashwagandha* has shown a significant immunomodulatory activity in immune reactivity in animal models. *Ashwagandha* helps prevent myelo-suppression in mice treated with the three immunosuppressive drugs which are Cyclophosphamide, Azathioprin, and Prednisolone. On treatment with *Ashwagandha* it was found that there was a significant increase Haemoglobin concentration, platelet count, RBCcount, and body weight in mice³⁰*Ashwagandha* extract has been proven to significantly reduce the leucopenia which is induced by Cyclophosphamide (CTX) treatment. Also, another study showed that

administration of *Ashwagandha* extract was found to significantly reduce the leucopenia which is induced by the sub-lethal dose of gamma radiation³¹. Withaferin A and Withanolide E have exhibited the specific immunosuppressive effect on mice thymocytes and human B and T lymphocytes. Withanolide E had specific effect on T lymphocytes whereas Withaferin A affected both B and T lymphocytes³².

4) *Mudgaparni*–

Phaseolus trilobus is also commonly known as *Mudgaparni* or *Ranmoong*. It is highly useful in diseases like jaundice, haemorrhoids, dyspepsia, diarrhoea, coolant, and sedative, good for eyes and anti helminthic. The plant is also having beneficial effects as a tonic, hepatoprotective diuretic, antimicrobial and antioxidant. It is also proved that it induces defence mechanisms when against the exposure of UV-B radiations. The plant contains a vast range of active components like flavonoids, isoflavonoids, stigmasterol, tannins, vitamin C, vitamin K and proteins which have been isolated from the plant^{33, 34}

Immunomodulatory activity- In the *Prakara Yoga* the 35th chapter of the *Ayurvedic* pediatric classic text book in *Ayurveda* known as “*Arogyakalpadruma*” written by

Vaidya Kaikkulangara Rama Varrier.³⁵ *Mudgaparni* has been mentioned in the *prakaryogas* as one of the useful herbal drug as immunomodulator.

5) *Mashaparni*-

The fruit is bitter, sweet in taste, cooling in potency, aphrodisiac, acts as an astringent to the bowels, tonic, galactagogue, antipyretic, it helps in the conditions of biliousness, inflammation, gout, blood diseases, fevers, bronchitis, thirst, burning sensation; consumption, useful in paralysis, rheumatism and diseases of the nervous system according to *Ayurveda*. It is considered to be very useful in haemoptysis and catarrh³⁶

Teramnus labialis is one of the Life Promoting vis-à-vis Jeevaniya medicines as mentioned in *Charak Samhita*. It increases kapha and decreases Vata, Pitta and. It is also one of the important Rasayana drug in *Charak Samhita*³⁷. **Immunomodulatory activity-** In the *Prakara Yoga* the 35th chapter of the *Ayurvedic* pediatric classic text book in *Ayurveda* known as “*Arogyakalpadruma*” written by *Vaidya Kaikkulangara Rama Varrier*.³⁵ *Mudgaparni* has been mentioned in the *prakaryogas* as one of the useful herbal drug as immunomodulator.

6) Jeevanti-

L. reticulata is considered as *Rasayanadrug* and it helps to nourish, vitalize, and rejuvenate the body.³⁸ It is mainly administered to persons suffering from weakness, lack of energy, general debility. It has good efficacy in involuntary seminal discharge, general debility³⁹. It is a restorative, tonic, wound healer and is useful in mouth ulcer. Also, *L. reticulata* has exhibited antiepileptic activity⁴⁰, hepatoprotective and anti-anaphylactic⁴¹ activity and antibacterial activity⁴² in animal models. Immunomodulatory Activity- In a study conducted by Girish Kumar et al.⁴³ the whole plant aqueous extract of *L. reticulata* had proved to offer superior protection against immunosuppression which was induced by chromate (VI). Thereby confirming the possibilities of therapeutic using *L. reticulata* for modulating and alleviating the chromate (VI)-induced immunosuppression. Similarly, the immunomodulatory and antioxidant activity of the ethanolic leaf extract of *L. reticulata* was studied and evaluated by Pravansha et al.⁴⁴. The study revealed and proved that *L. reticulata* extract (100 and 200 mg/kg) significantly induced a delayed type of hypersensitivity reaction, increased

Neutrophil adhesion (%) to nylon fibers, increased antibody titer values- dose-dependent manner, and the rate of phagocytosis. Also, there was found to be a significant increase in the hematological profile, superoxide dismutase, reduced glutathione and catalase activities. This thus proves the potential immunomodulatory and antioxidant properties of *L. reticulata*

7) Yashtimadhu-

The sweetness in liquorice is attributed to glycyrrhizin, which is having a sweet taste.^{45, 46}

Glycyrrhizin has also antimicrobial, antiviral, anti-inflammatory, blood pressure increasing effects, hepatoprotective in vitro and in vivo, as this is supported and proved by the finding that administration of intravenous glycyrrhizin slows the progression of viral and autoimmune hepatitis.^{47, 48}

The laxative, anti-inflammatory, antiulcer, antidiabetic, immunomodulatory, expectorant, anti-tumor properties of liquorice has been studied.

Licorice is beneficial in a range of ailments including ulcers, irritation, cholesterol, fever, heart burn, hepatitis and liver problems, menstrual problems, asthma,

psoriasis, body odour, depression, colds, pain, stress, coughs, gingivitis, arthritis, sore throat, prostate enlargement.⁴⁹

It has been stated in the classics that it possesses *Guru, SnigdhaGuna, Madhur Rasa, Madhur Vipaka* and *SheetaVeerya*.

Jeevaniya Mahakashay dravyas–Table 2-

Sr. No	Drug	Latin Name	Family	Rasa	Veerya	Vipaka	Karma
1	<i>Shatavari</i>	<i>Asparagus Racemosus</i>	Liliaceae	<i>Madhur, Tikta</i>	<i>Sheeta</i>	<i>Madhur</i>	<i>Rasayana Balya Shukravardhak Stanyavardhak Medhya</i>
2	<i>Vidari</i>	<i>Pueraria tuberosa</i>	Leguminosae	<i>Madhur, Tikta</i>	<i>Sheeta</i>	<i>Madhur</i>	<i>Balya Shukravardhak Rasayana</i>
3	<i>Ashwagandha</i>	<i>Withania somnifera</i>	Solanaceae	<i>Tikta, Kashay</i>	<i>Ushna</i>	<i>Katu</i>	<i>Mamsavardhak Shukravardhak Vrushya Balya Kshayanashak</i>
4	<i>Mudgaparni</i>	<i>Phaseolus trilobus</i>	Leguminosae	<i>Madhur, Tikta</i>	<i>Sheeta</i>	<i>Madhur</i>	<i>Balya Shukravardhak Jwaraghna</i>
5	<i>Mashaparni</i>	<i>Terannus labials</i>	Leguminosae	<i>Madhur, Tikta</i>	<i>Sheeta</i>	<i>Madhur</i>	<i>Mamsavardhak Shukravardhak Balya Jwaraghna</i>
6	<i>Jeevanti</i>	<i>Laptadenia reticulata</i>	Asclepiadaeae	<i>Madhur</i>	<i>Sheeta</i>	<i>Madhur</i>	<i>Shukravardhak Kshayanashak</i>
7	<i>Madhuk (Yashtimadhu)</i>	<i>Glycyrrhiza glabra</i>	Leguminosae	<i>Madhur, Tikta</i>	<i>Sheeta</i>	<i>Madhur</i>	<i>Balya Shukravardhak Kshayanashak.R Asayan</i>

DISCUSSION

A healthy immune system is vital for individuals. Immunity is the ability of the body to resist attack of harmful microbes from entering the body. Immunity can be classified as specific and non-specific. Other factors of the immune system can adapt themselves to each new disease which is encountered and are hence able to generate a pathogen-specific immunity. Nonspecific or innate immunity is the natural resistance which a person is born with. It provides the body's resistance through most of the chemical, physical and cellular approaches.⁵⁰ Immuno modulators- An immune modulator may be defined as a substance, which may influence any of the constituents or functions of the immune system in a nonspecific or specific manner including either of the innate or adaptive arms of the body's immune response.⁵¹ These immune modulators are a vast and diverse array of recombinants that may be synthetic and natural preparations, usually cytokines. Some of these substances for example the granulocyte colony-stimulating factor (G-CSF), imiquimod, interferons and the cellular membrane fractions from the bacteria these are already licensed to be used in patients. Others which include IL-2, IL-7, and IL-12, various synthetic cytosine

phosphate-guanosines (CpG), chemokines, glucans and oligodeoxynucleotides are currently under investigation and studied extensively in the clinical and preclinical studies. Immunomodulatory regimens provide a promising approach as they mostly have fewer side effects than the existing drugs being used, including the less potential ones used for creating the resistance in microbial diseases.⁵² Concept of immunomodulation according to *Ayurveda-Ayurveda* has laid the foundations of the concept of immunity as "Vyadhikshamatva"⁵³. Acharya Chakrapanidatta has postulated and interpreted the term *Vyadhikshamatva* as *VyadhibalaVirodhitva* which literally means one which is antagonistic to the virulence and strength of the disease and the *VyadyutpadaPratibandhakatva* which means the capacity to bind and inhibit the factors and causes of the disease.⁵⁴ One of the therapeutic management strategies in *Ayurvedic* medicines is to enhance and improve the body's overall natural resistance to the disease causing agent rather than directly neutralizing the agent itself. The guiding principle of *Ayurveda* has been the use of herbs and herbal sources for improving and enhancing the overall resistance of body against pathogens and

common infections⁵⁵. Such herbs possessing immunomodulatory effects are referred to as *Rasayana* in *Ayurvedic* classics. They are supposed to have the ability of protecting the body against external factors that induce disease. This implied resistance against disease may represent the modern concept of immunity.⁵⁶

CONCLUSION

It may be concluded that *Jeevaniya Mahakashay* is a potent group of *Rasayan Dravyas* as stated in *Ayurveda* classics. Due to its *Rasayan* effect and the various pharmacological studies conducted in vitro and in vivo have shown and proved the efficacy and pharmacological action of these drugs as “immunomodulators” and hence this group of drugs may be classified as “immunomodulators”.

SCOPE FOR FURTHER STUDY

More in vivo studies need to be conducted and clinical trials in immune- compromised patients must be undertaken wherein the

trial drug of Ayurvedic immunomodulators may be administered in single drug form or in a combination of drugs together to understand the overall efficacy of the drugs especially in immuno compromised patients for example in patients of HIV/AIDS, cancer and transplant patients who are taking certain immunosuppressive drugs, SARS COVID19 disease where high immunity needed to suppress pathogens and those who are inherited with diseases that affect the immune system for example congenital agammaglobulinemia, congenital IgA deficiency. The role, scope, mode of action and extent of efficacy of herbal immunomodulators needs to be studied which is the need of time.

Acknowledgement:- Nil

Financial Assistant:- Nil

Conflict of interest :- Nil

REFERENCES

- 1) Prof.K.R. Srikanth Murthy, Bhavaprakash of Bhavamishra, Haritakyadivarga, volume 1 Choukhamba Krishandas Academy Varanasi Edition Reprint 2004, P 181
- 2) Gogte VM. Ayurvedic pharmacology and therapeutic uses of medicinal plants. Mumbai: SPARC; 2000.
- 3) Frawley D. Ayurvedic healing-a comprehensive guide. Delhi: Motilal Banarsidass Publishers Private Limited; 1997.
- 4) Sharma RK, Dash B. Charakasambhita-text with english translation and critical exposition based on Chakrapani Datta's Ayurveda dipika. India: Chowkhamba Varanasi; 2003.
- 5) Garde GK, Vagbhat S. Marathia translation of vagbhat'sastangahridya. Uttarstana: AryabhushanaMudranalaya; 1970. pp. 40–48.
- 6) Atreya . Ayurvedic healing for women. York: Samuel Weiser Inc; 1999.
- 7) Srikantha MKR. Appendix and indices. Varanasi: Krishnadas Academy; 1997.
- 8) Sharma PV, Charaka S. Chaukhambhaorientalis. India: Varanasi; 2001. pp. 7–14.
- 9) Sairam KS, Priyambada NC, Goel RK. Gastroduodenal ulcer protective activity of *Asparagus racemosus*. An experimental, biochemical and histological study. *J Ethnopharmacol.* 2003;86(1):1–10.
- 10) Kamat JP, Bolor KK, Devasagayam TP, Venkatachalam SR. Antioxdant properties of *Asparagus racemosus* against damaged induced by gamma radiation on rat liver mitochondria. *J Ethanopharmacol.* 2000;71:425–435.
- 11) Dahanukar S, Thatte U, Pai N, Mose PB, Karandikar SM. Protective effect of *Asparagus racemosus* against induced abdominal sepsis. *Indian Drugs.* 1986;24:125–128.
- 12) Thatte U, Chhabria S, Karandikar SM, Dahanukar S. Immunotherapeutic modification of *E. coli* induced abdominal sepsis and mortality in mice by Indian medicinal plants. *Indian Drugs.* 1987;25:95–97
- 13) Vaidyaratnam P.S.: *Indian Medicinal Plants – A compendium of 500 species*, Vol. 4, Orientlongman publishing, Kottakkal: 391-395 (1997).

- 14) Vijay Vitthal Bhagat, Yogesh T. Kotangale and M.V.Rampurkar, To Study The Brimhan Siddhant on the Basis of Efficacy of Vidarikand on KarshyaVyadhi, IAMJ: Volume 3; Issue 5; May–2015
- 15) Akhilesh K. Tripathi and Seema Kohli, Anti-Diabetic Activity and Phytochemical Screening of Crude Extracts of Pueraria Tuberosa DC. (FABACEAE) Grown in India on STZ -Induced Diabetic Rats Asian J. Med.Pharm. Res., 3(3): 66-73, 2013
- 16) Amal, K. Maji, Subhadip Mahapatra And Debdulal Banerjee. In-Vivo Immunomodulatory Potential of Standardized Pueraria Tuberosa Extract and its Isoflavonoids, International Journal of Pharmacy and Pharmaceutical Sciences, Vol 6, Issue 1, 2014
- 17) Pandey, N., Chaurasia, J.K., Tiwari, O.P. and Tripathi, Y.B.: Food Chem., 105 (1): 219- 222 (2007).
- 18) S. K. Verma, V. Jain, A. Vyas and D. P. Singh Protection Against Stress Induced Myocardia Ischemia by Indian Kudzu (Pueraria Tuberosa) – A Case Study, Journal of Herbal Medicine and Toxicology 3 (1) 59-63 (2009).
- 19) RN. Mishra The Vajikaran (Aphrodisiac) Formulations in Ayurved INTERNATIONAL JOURNAL OF RESEARCH IN PHARMACY AND CHEMISTRY IJRPC 2012, 2(1).
- 20) N.S. Chauhan, Vikas Sharma, Mayank Thakur, Alexandra C. H. F. Sawaya, V. K. Dixit. PuerariatuberosaDC Extract Improves Androgenesis and Sexual Behavior via FSH, LH Cascade. The Scientific WorldJournal, Volume 2013..
- 21) N. Venkata Rao et.al. Nootropic activity of tuber extracts of Pueraria tuberosa, Indian Journal of Experimental Biology, Vol. 46 Aug 2008 p-591.
- 22) Nidhi Pandey, Durgavati Yadav, Vivek Pandey, Yamini B Tripathi. Anti-inflammatory effect of Puerariatuberosaextracts through improvement in activity of red blood cell anti-oxidant enzymes, AYU Year : 2013, Vol: 34, Issue : 3, p. 297-301
- 23) Weiner, M.A, Weiner. J Ashwagandha (India ginseng). In: Herbs that Heal. Mill Valley, CA: Quantum Books, 70–72; 1994.

- 24)S. Sharma, S. Dahanukar, S.M. Karandikar. Effects of long-term administration of the roots of ashwagandha and shatavari in rats. *Indian Drugs*. 1985;133–139.
- 25)Budhiraja RD, Sudhir S. Review of biological activity of Withanolides (Antibacterial Antitumor, Immunomodulating, Anti-inflammatory and insect anti feedcent). *J Sci Ind Res*. 46, 488-91.
- 26)Chopra, R.N. *Glossary of Indian Medicinal Plants*. New Delhi: Academic Publishers India; 1994.
- 27)Glotter E, Kirson I, Abraham A, Lavie D. Constituents of *Withania somnifera* Dun—13. The withanolides of chemotype III. *Tetrahedron*. 1973;29(10):1353–1364.
- 28)Devi PU, Sharada AC, Solomon FE. Antitumor and radiosensitizing effects of *Withaniasomnifera*(Ashwagandha) on a transplantable mouse tumor, Sarcoma- 180. *Indian J Exp Biol*. 1993;31(7):607-11
- 29) "*Withaniasomnifera*". *Alternative Medicine Review*. FindArticles.com. 13 Oct. 2008.
- 30)Ziauddin M, Phansalkar N, Patki P, Diwanay S, Patwardhan B. Studies on the immunomodulatory effect of Asgandh. *J Ethnopharmacol*. 1996;50(2):69-76
- 31)Davis L, Kuttan G. Suppressive effect of cyclophosphamideinduced toxicity by *Withaniasomnifera* extract in mice. *J Ethnopharmacol*. 1998;62(3): 209-214
- 32)Kuttan G. Use of *Withaniasomnifera*Dunal as an adjuvant during radiation therapy. *Indian J Exp Biol*.1996;34 (9):854-856.
- 33) Kumar, S (2001). *Flora of Haryana*, Bishen Singh Mahinder Pal Singh, Dehradun, pp130
- 34) Anon (2005). *Medicinal Plant Resources of South-West Bengal*, Research Wing, Directorate of Forests. Saraswaty Press Ltd. (Government of West Bengal Enterprise), Kolkata, pp182.
- 35) Warriar KR: *Arogyakalpadruma*. Samrat Publishers, Thrissur, Edition 1, Volume. 1, 2011: 448-455.

36)K R Kirtikar and B D Basu, Indian Medicinal plants, Vol-1, 2nd edition. Dehra Dun. Shiva offset Press; 1991. p 774-775

37)Dr. N.N.Mehrotra&Vd.SanjeevK.Ojha,AyurvedicRasayana Therapy and Rejuvenation (Kaya Kalp). In:Sheela Tandon and V.K.Vohra,(eds). Ageing. Documentation and Library Services, Central Drug Research Institute, Lucknow. Current R&D Highlights, Dr. P.KRoy; Jan-Mar2006.p 06-08.

38)Kirtikar KR, Basu BD. Indian Medicinal Plants, International Book Publisher, Dehradun, 1993; (2): 898-900]

39)Bhatt T, Jain V, Jayathirtha MG, Banerjee G, Mishra SH. In vitro regeneration of roots of Phyla nodiflora and Leptadenia reticulata, and comparison of roots from cultured and natural plants for secondary metabolites. Indian J. Exp. Biol, 2006; 40: 1382–1386

40) Kumari BP, Reddy RM, Veena BM, Babu TM, Ranganayakul D. Antiepileptic activity and Neuropharmacological screening of methanolic extract of Leptadenia reticulata against different experimental models, J. of Adv. in Drug Res, 2010; (1): 1-9.

41)Padmalatha K, Venkataraman BV, Roopa R, Antianaphylactic effect of DLH-3041 (polyherba formulation) on rat mesenteric mast cell degranulation, Ind. J. Pharmacol, 2002; 34: 119-122.

42)Kalidasa C, Glory M, Francis B, Manickam V S. Antibacterial activity of Leptadenia reticulata (Retz) Wight and Arn. (Asclapiadaceae), Ancient Sci of life, 2009; 28(4): 10-12

43)Girishkumar, V.; Sreepriya, M.S.; Praveenkumar, S.; Bali, G.; Jagadeesh, M.S. Modulating effect of Leptadenia

reticulata (Retz)Wight &Arn against chromate (VI)-induced immunosuppression and oxidative stress onmouse splenic lymphocytes and bone marrow derived macrophages. J. Ethnopharmacol. **2010**, 131, 505–508

44)Pravansha, S.; Thippeswamy, B.S.; Veerapur, V.P. Immunomodulatory and antioxidant effect of Leptadenia reticulata leaf extract in rodents: Possible modulation of cell and humoral immune response. Immunopharm. Immunot. **2012**, 34, 1010–1019. [CrossRef] [PubMed

- 45) Tamir, S.; Eizenberg, M.; Somjen, D.; Izrael, S.; Vaya, J. (2001). "Estrogen-like activity of glabrene and other constituents isolated from licorice root". *The Journal of Steroid Biochemistry and Molecular Biology.*, 78(3):291-298.
- 46) Chien, CF; Wu, YT; Tsai, TH (January 2011). "Biological analysis of herbal medicines used for the treatment of liver diseases." *Biomedical chromatography.*, 25(1-2): 21-38.
- 47) Yasui, S; Fujiwara, K; Tawada, A; Fukuda, Y; Nakano, M; Yokosuka, O (December 2011). "Efficacy of intravenous glycyrrhizin in the early stage of acute onset autoimmune hepatitis.". *Digestive Diseases and Sciences.*, 56(12): 3638-47.
- 48) Shibata, S (October 2000). "A drug over the millennia: pharmacognosy, chemistry, and pharmacology of licorice." *YakugakuZasshi.*, 120(10): 849-62.
- 49) Database on Medicinal Plants Used in Ayurveda, Published by The central council of Research in Ayurveda & Siddha, New Delhi, Year of publication 2001, Volume 3, pp.561
- 50) Immunity (medical) [Internet]. 2013 [updated 2013 Nov 4; cited 2013 Nov 5]. Available from: <http://en.wikipedia.org/wiki/Immunity>
- 51) Gulati K, Ray A, Debnath PK and Bhattacharya SK: Immunomodulatory Indian medicinal plants. *Journal of Natural Remedies* 2002; 2(2):121-131
- 52) Masihi KN: "Fighting infection using immunomodulatory agents." *Expert Opin Biol Ther* 2001 Jul;1(4):641-53.
- 53) Rajagopala S, Ashok BK and Ravishankar B: Immunomodulatory activity of Vachadhatryadi Avaleha in albino rats. *Ayu.* 2011 Apr-Jun; 32(2):275-278
- 54) Tripathi JS, Singh RH: The Concept and Practice of Immunomodulation in Ayurveda and the Role of Rasayanas as Immunomodulators. *Ancient Science of Life* 1999 Jul, Aug, Sep, Oct; 19(1&2):59-63.
- 55) Patwardhan B, Warude D, Pushpangadan P and Bhatt N: Ayurveda and traditional Chinese medicine: A comparative overview. *Evid Based Complement Alternat Med.* 2005; 2:465-73.
- 56) Singh RH, Udupa KN, Bhattacharyaa SK and Muruganandam AV: Clinical and experimental studies on Rasayana drugs and Rasayana therapy. Adaptogenic activity of *Withaniasomnifera* - an experimental study using a rat model of chronic stress. *Pharmacol Biochem Behav.* 2003; 75:547-55.